

CODE: KTCASML18MB

#### **FLUE KIT OPTIONS:**

Maxiheat Decromesh Default Flue Kit

### Kent Calisto Small Freestanding Heater

Australian Standard

<1.5g/kg

886H x 609W x 508D mm

Coverage: 200m<sup>2</sup>

**EMISSIONS** 


Peak Heat Output: 12.1kW Burn Time: up to 7 hours Maximum Log Size: 320mm

Construction: 6mm Firebox Size: 0.04m³ Warranty: 10 Year Firebox





**3 speed fan control** helps boost heat. Available on all convection heaters



Firebox is lined with firebricks or SKAMOLEX $^{\text{\tiny{M}}}$ 





CODE: KTCAMED18MB

#### **FLUE KIT OPTIONS:**

Maxiheat Decromesh Default Flue Kit

### Kent Calisto Medium Freestanding Heater

936H x 669W x 558D mm

Coverage: 300m<sup>2</sup>


Peak Heat Output: 12.3kW Burn Time: up to 8.5 hours Maximum Log Size: 370mm Construction: 6mm

Firebox Size: 0.07m³
Warranty: 10 Year Firebox





**3 speed fan control** helps boost heat. Available on all convection heaters



Firebox is lined with firebricks or SKAMOLEX™





CODE: KTCALGE18MB

#### **FLUE KIT OPTIONS:**

Maxiheat Decromesh Default Flue Kit

## Kent Calisto Large Freestanding Heater

986H x 769W x 558D mm

Coverage:  $320 \, m^2$ 


Peak Heat Output: 16.6kW Burn Time: up to 9.5 hours Maximum Log Size: 370mm

Construction: 6mm Firebox Size: 0.1m³ Warranty: 10 Year Firebox





**3 speed fan control** helps boost heat. Available on all convection heaters



Firebox is lined with firebricks or SKAMOLEX™





CODE: KTCASMLIN18MB

ZERO CLEARANCE COMPATIBLE

# 10 YEAR FIREBOX STRUCTURAL WARRANTY



**3 speed fan control** helps boost heat. Available on all convection heaters


### Kent Calisto Small Insert Heater

Coverage: 180m<sup>2</sup>

Peak Heat Output: 9.7kW Burn Time: up to 6 hours Maximum Log Size: 320mm Construction: 6mm Firebox Size: 0.04m³

**Warranty:** 10 Year Firebox Zero Clearance compatible

BurnWise An initiative of the Australian Home Heating Association			
EFFICIENCY	This model Australian Standard	70% >60%	
PARTICLE EMISSIONS	This model Australian Standard	1.0g/kg <1.5g/kg	



Firebox is lined with firebricks or SKAMOLEX™





CODE: KTCAMEDIN18MB

ZERO CLEARANCE COMPATIBLE

# 10 YEAR FIREBOX STRUCTURAL WARRANTY \* \* \* \* \*



### **3 speed fan control** helps boost heat. Available on all convection heaters


### Kent Calisto Medium Insert Heater

Coverage: 280m<sup>2</sup>

Peak Heat Output: 10.8kW Burn Time: up to 7.5 hours Maximum Log Size: 370mm Construction: 6mm Firebox Size: 0.07m³

**Warranty:** 10 Year Firebox Zero Clearance compatible

BurnW	An initiative of the Australian Home Heating Association	
EFFICIENCY	This model Australian Standard	62% >60%
PARTICLE EMISSIONS	This model Australian Standard	0.9g/kg <1.5g/kg



Firebox is lined with firebricks or SKAMOLEX™





CODE: KTCALGEIN18MB

ZERO CLEARANCE COMPATIBLE

# 10 YEAR FIREBOX STRUCTURAL WARRANTY \* \* \* \* \*



**3 speed fan control** helps boost heat. Available on all convection heaters


### Kent Calisto Large Insert Heater

Coverage: 300m<sup>2</sup>

Peak Heat Output: 16.6kW Burn Time: up to 8 hours Maximum Log Size: 370mm Construction: 6mm

Firebox Size: 0.1m³ Warranty: 10 Year Firebox Zero Clearance compatible

BurnWise An initiative of the Australian Home Heating Association			
EFFICIENCY	This model Australian Standard	63% >60%	
PARTICLE EMISSIONS	This model Australian Standard	0.7g/kg <1.5g/kg	



Firebox is lined with firebricks or SKAMOLEX™

